

# ENSTO

## OPCP406013G

### Cubo O enclosure

Code	OPCP406013G
GTIN	6418677184475
ENumber	
Name	Cubo O enclosure Ensto Cubo O Size 400 x 600 x 132 mm, plain sides, grey cover, PC
Description	Ensto Cubo O is a series of medium to large size enclosures available with plain sides or metric knockouts. Special features of the series allow mounting the cover onto the back of the base and include adjustable elevators for the base corner slots, enabling plates and panels to be mounted at any height.



## Technical specification

### Technical specification

<b>Content:</b>	Enclosure base, cover, cover screws, mounting screws
-----------------	--

### Dimensions

<b>Weight:</b>	3.96 kg
<b>Width:</b>	400 mm
<b>Volume :</b>	3168.00 cm <sup>3</sup>
<b>Size:</b>	400 x 600 x 132
<b>Height:</b>	600 mm
<b>Depth:</b>	132 mm
<b>Inner depth:</b>	115.0 mm
<b>Outer cover height:</b>	30 mm

### Temperatures

<b>Operating temperature:</b>	-40 ... +80 °C
<b>Short term temperature range:</b>	-40 ... +120 °C

### Materials

<b>Base:</b>	Fiberglass reinforced polycarbonate
<b>Cover:</b>	Polycarbonate
<b>Cover screws:</b>	Polyamide
<b>Gasket:</b>	Polyurethane
<b>Material selection:</b>	Polycarbonate

## Colors

<b>Color:</b>	Grey
---------------	------

## Mechanical

<b>Impact strength:</b>	IK 08
-------------------------	-------

## Certificates

<b>Standards:</b>	EN 62208, GOST R
-------------------	------------------

## Ratings

<b>Degree of protection:</b>	IP66/IP67
<b>Flammability rating:</b>	UL 746C 5 inch flame test
<b>ETIM class:</b>	EC000261
<b>ETIM 7:</b>	EC000261

## ETIM

---

### ETIM

<b>Width:</b>	400 mm
<b>Colour:</b>	Grey
<b>Material:</b>	Plastic
<b>Height:</b>	600 mm
<b>Depth:</b>	132 mm
<b>Type of surface:</b>	Untreated
<b>RAL-number:</b>	7035
<b>Wall fastening possible:</b>	true
<b>Suitable for outdoor set-up:</b>	true
<b>Impact strength:</b>	IK08
<b>Degree of protection (IP):</b>	IP67
<b>Mounting plate depth-adjustable:</b>	true

## Packaging

---

### Default package

<b>Unit:</b>	PCS
<b>Size:</b>	1
<b>Length:</b>	625 mm
<b>Width:</b>	425 mm
<b>Height:</b>	140 mm
<b>Weight (net):</b>	0.515 kg
<b>Weight (brt):</b>	4.479 kg

**Volume:**

37.1875