

# ENSTO

## HALP050503

### Cubo H enclosure

Code HALP050503  
 GTIN 6418677165450  
 ENumber  
 Name Cubo H enclosure Ensto Cubo H  
 Size 45 x 50 x 30 mm, plain sides,  
 aluminium  
 Description Ensto Cubo H aluminium enclosures are  
 available with plain sides. These  
 enclosures are recyclable and light. They  
 have high solvent resistance, a broad  
 temperature resistance range and  
 excellent corrosion resistance.



## Technical specification

### Technical specification

**Content:** Enclosure base, cover, cover screws,  
 mounting screws

### Dimensions

**Weight:** 0.08 kg  
**Width:** 50 mm  
**Volume :** 67.5 cm<sup>3</sup>  
**Size:** 45 x 50 x 30  
**Height:** 45 mm  
**Depth:** 30 mm  
**Inner depth:** 24.5 mm  
**Outer base depth:** 24 mm  
**Outer cover height:** 6 mm

### Temperatures

**Operating temperature:** -40 ... +110 °C

### Materials

**Material:** Aluminium

<b>Cover screws:</b>	Stainless steel AISI 304
<b>Gasket:</b>	Neoprene
<b>Material selection:</b>	Aluminium

## Colors

<b>Color:</b>	Grey
---------------	------

## Mechanical

<b>Impact strength:</b>	7 Nm
-------------------------	------

## Ratings

<b>Degree of protection:</b>	IP66
<b>ETIM class:</b>	EC000261
<b>ETIM 7:</b>	EC000261

## ETIM

---

### ETIM

<b>Width:</b>	50 mm
<b>Colour:</b>	Grey
<b>Material:</b>	Aluminium
<b>Height:</b>	45 mm
<b>Depth:</b>	30 mm
<b>Type of surface:</b>	Untreated
<b>RAL-number:</b>	7001
<b>Wall fastening possible:</b>	true
<b>Suitable for outdoor set-up:</b>	true
<b>Impact strength:</b>	IK08
<b>Degree of protection (IP):</b>	IP66
<b>Mounting plate depth-adjustable:</b>	false
<b>Suitable for metrical mounting:</b>	false
<b>With mounting plate:</b>	false
<b>Number of doors:</b>	1
<b>Pole fastening:</b>	false
<b>With glazed door:</b>	false
<b>Tackable:</b>	false
<b>Wall build in:</b>	false
<b>Pitched roof:</b>	false
<b>EMC-version:</b>	false
<b>With ventilation door:</b>	false
<b>With backside door:</b>	false
<b>Floor installation possible:</b>	false

## Packaging

---

### Default package

<b>Unit:</b>	PCS
--------------	-----

<b>Size:</b>	6
<b>Weight (brt):</b>	0.076 kg